

THE PRO RACK SIDE CHANNEL KIT - FORKLIFT LOADABLE - 9' BODY, SINGLE CAB - NOT COMPATIBLE WITH PII PART NUMBERS

Part # : 12205



The Pro Rack Side Channel Kit - Forklift Loadable | 9' Body, Single Cab

The Pro Rack is a new line of heavy duty racks for full-size work trucks, service bodies, and platform bodies.

NOT COMPATIBLE WITH PRO II MODELS.

Vehicle Fitment:


9' Service Bodies

9' Platform Bodies

Compatible Items:

- 12004 The Pro Rack Leg & Crossbar Kit Service Bodies | Black
- 12005 The Pro Rack Leg & Crossbar Kit Platform Bodies
- 31110 Extra Crossbar for The Pro and Pro II Racks
- 31150 Utility Hook for The Pro, Pro II, and Pro IV Racks
- 31170 Emergency Light Mount Bracket for The Pro, Pro II, Pro IV, and Econo Racks
- 31490 Retractable Ratchet Straps with Pro Rack Mount Brackets 2" W x 7' L Pair
- 31500 Retractable Ratchet Straps with Pro Rack Mount Brackets 1" W x 6' L Pair

THE PRO RACK DIFFERENCE



Serious tradesmen use substantial tools. Holman racks are the top choice because they work hard and look great!

New Features

- Optional forklift loadable side rails to allow for safer and more efficient loading of the rack.
- · Swing-out rear crossbar designed to ease the loading process
- More fitment options to fit every truck configuration including short bed and crew cab applications
- Adjustable front leg mounting to fit more vehicle applications with a single rack
- Improved foot mounting that reduces horizontal deflection and creates a stronger rack
- Easy entry grab handles mounted low on the rear for added support
- · Wind deflector now included as standard

Returning Features

| Industrial Grade Strength | Premium Powder Coat Finish | Professional Look | Other Features |
|--|--|--|---|
| 2" dia. steel tube frame is the strongest available for modular racks. | Zinc epoxy primed for superior corrosion protection. | Sleek "Flying Wedge" design. Smooth round tube components. Stylish gloss | High-strength rust- proof self-locking fasteners. Holman Warranty. |

Ì • 5" swaged joints are made for the steering has sine en made reader piawale placest to per compared to resist

| | • 5" swaged joints are made for the streng master of a water piaw algorithms and the resist | |
|---|---|--|
| • | Startiosiwiderfcharberagsianantee. | |
| • | Certified ASTM 1000 hour salt spray testing. | |